			Prevention	Measure Workg	roup "Yes"	Measures by Unit of Analysis - Oct	ober 1, 2014				
		Unit of Analysis									
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Statewide	County or ACH	Health Plan	Medical Group	Hospital
22	Cervical Cancer Screening (CCS)	0032	NCQA	Adult Screening(s)	Claims onl	Percentage of women 21-64 years of age who received PAP test to screen for cervical cancer. (interval every 3 years)	х	х	х	х	
25	Chlamydia Screening (CHL)	0033	NCQA	Adult Screening(s)	Claims	Percentage of women ages 16 to 24 that were identified as sexually active and had at least one test for Chlamydia during the measurement year	х	х	х	х	
28	Colorectal Cancer Screening (COL)	0034	NCQA	Adult Screening(s)	Claims	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.	х	х	х		
252	Breast Cancer Screening (No longer NQF endorsed)	NA	NCQA	Adult Screening(s)	Claims	The percentage of women 50–74 years of age who had a mammogram to screen for breast cancer. (interval = 1x/27 months) (2015 HEDIS specifications)	x	x	х	х	
122	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	1516	NCQA	Childhood: early and adolescent well-care	Claims	Percentage of children ages 3 to 6 that had one or more well- child visits with a PCP during the measurement year	х	х	х		
23	Child and Adolescent Access to Primary Care Practitioners (CAP)	NA	NCQA	Childhood: early and adolescent well-care	Claims	Percentage of children and adolescents ages 12 months to 19 years that had a visit with a PCP, including four separate percentages: Children ages 12 to 24 months and 25 months to 6 years who had a visit with a PCP during the measurement year Children ages 7 to 11 years and adolescents ages 12 to 19 years who had a visit with a PCP during the measurement year or the year prior to the measurement year	x	x	x		

	Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014 Measure Information Unit of Analysis											
		Unit of Analysis										
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Statewide	County or ACH	Health Plan	Medical Group	Hospital	
24	Childhood Immunization Status (CIS)	0038	NCQA	Immunization s	WA IIS	Percentage of children that turned 2 years old during the measurement year and had specific vaccines by their second birthday	х	х				
143	Influenza Immunization	0041	AMA-PCPI	Immunization s	WA IIS	Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	x	x				
180	Pneumonia Vaccination Status for Older Adults (PNU)	0043	NCQA	Immunization s	WA IIS	Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.		х				
222	Human Papillomavirus (HPV) Vaccine forAdolescents	n/a	NCQA	Immunization s	WA IIS	Percentage of adolescents 13 years of age who had three doses of the human papillomavirus (HPV) vaccine by their 13th birthday.	х	х	х			
2	Adolescent Immunization Status (AIS)	1407	NCQA	Immunization s	WA IIS	Percentage of adolescents that turned 13 years old during the measurement year and had specific vaccines by their 13th birthday	х	Х	х			
121	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents: Body Mass Index Assessment for Children/ Adolescents (WCC)	0024	NCQA	Nutrition/ Physical Activity/ Obesity	Claims and Clinical Data	Percentage of children ages 3 to 17 that had an outpatient visit with a primary care practitioner (PCP) or obstetrical/gynecological (OB/GYN) practitioner and whose weight is classified based on body mass index percentile for age and gender			x			

	Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014 Measure Information Unit of Analysis												
			_	Unit of Analysis									
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Statewide	County or ACH	Health Plan	Medical Group	Hospital		
157	Primary Caries Prevention Intervention as Part of Well/III Child Care as Offered by Primary Care Medical Providers	1419	University of	Oral Health	Claims	The measure will a) track the extent to which the PCMP or clinic (determined by the provider number used for billing) applies FV as part of the EPSDT examination and b) track the degree to which each billing entity's use of the EPSDT with FV codes increases from year to year (more children varnished and more children receiving FV four times a year according to ADA recommendations for high-risk children).	x	X	x				
124	Medical Assistance With Smoking and Tobacco Use Cessation (MSC)	0027	NCQA	Tobacco Cessation	Survey	Assesses different facets of providing medical assistance with smoking and tobacco use cessation: Advising Smokers and Tobacco Users to Quit Discussing Cessation Medications Discussing Cessation Strategies			х				

		ober 1, 2014 Unit of Analysis									
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Statewide	County or ACH	Health Plan	Medical Group	Hospital
	Adult Access to Preventive/Ambulatory Health Services (AAP)	NA	NCQA	Utilization	Claims	The percentage of members 20 to 44 years, 45 to 64 years, and 65 years and older who had an ambulatory or preventive care visit. The organization reports three separate percentages for each age stratification and product line (commercial, Medicaid and Medicare) and a total rate: • Medicaid and Medicare members who had an ambulatory or preventive care visit during the measurement year • Commercial members who had an ambulatory or preventive care visit during the measurement year or the two years prior to the measurement year		x	X		